	<div>Safety Data Sheet</div> <div>according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878</div>	Issue date: 11/28/2017
		Revision date: 12/19/2023 Version: 1.2
		Supersedes version of: 1/8/2020
0062	AMIRAL GLOSS	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture	
Trade name	: AMIRAL GLOSS	
Product code	: 0062	
Product group	: Trade product	
Other means of identification	: N° UFI Amiral gloss Incolore / Neutral: AF5J-F0UW-N00K-QMQ1	
	: N° UFI Amiral gloss Noir / Black: PD5J-Y05H-C003-193Y	

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public	
Main use category	: Consumer use
Use of the substance/mixture	: Care product for smooth leather.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

AVEL
 Lombre
 16320 MAGNAC LAVALETTE - FRANCE
 T +33 5 45 64 74 74 - F +33 5 45 64 77 36
avel@avel.com - www.avel.com

1.4. Emergency telephone number

Emergency number : +33 5 45 64 74 74

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, Category 2	H228
Acute toxicity (inhalation:dust,mist) Category 4	H332
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable solid. May cause drowsiness or dizziness. Harmful if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 11/28/2017


Revision date: 12/19/2023
Version: 1.2

Supersedes version of: 1/8/2020

0062

AMIRAL GLOSS

Hazard pictograms (CLP)



Signal word (CLP)


Contains

Hazard statements (CLP)

- : Warning
- : Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics; Turpentine Oil
- : H228 - Flammable solid.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H336 - May cause drowsiness or dizziness.
- H412 - Harmful to aquatic life with long lasting effects.
- : P101 - If medical advice is needed, have product container or label at hand.
- P102 - Keep out of reach of children.
- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P271 - Use only outdoors or in a well-ventilated area.
- P280 - Wear protective gloves.
- P332+P313 - If skin irritation occurs: Get medical advice/attention.

Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP)



Signal word (CLP)

Hazardous ingredients

Hazard statements (CLP)

- : Warning
- : Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics; Turpentine Oil
- : H317 - May cause an allergic skin reaction.
- H332 - Harmful if inhaled.
- H336 - May cause drowsiness or dizziness.
- H412 - Harmful to aquatic life with long lasting effects.
- : P101 - If medical advice is needed, have product container or label at hand.
- P102 - Keep out of reach of children.
- P271 - Use only outdoors or in a well-ventilated area.
- P280 - Wear protective gloves.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII


SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics substance with a Community workplace exposure limit	(EC-No.) 919-857-5 (REACH-no) 01-2119463258-33	50 – 75	Flam. Liq. 3, H226 Muta. Not classified Carc. Not classified STOT SE 3, H336 Asp. Tox. 1, H304

	<h2 style="text-align: center;">Safety Data Sheet</h2> <p style="text-align: center;">according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878</p>	Issue date: 11/28/2017
		Revision date: 12/19/2023 Version: 1.2
		Supersedes version of: 1/8/2020
0062	AMIRAL GLOSS	

Turpentine Oil	(CAS-No.) 8006-64-2 (EC-No.) 232-350-7 (EC Index-No.) 650-002-00-6 (REACH-no) 01-2119553060-53	10 – 25	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
----------------	---------------------------------------------------------------------------------------------------------	---------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
------------------------------	----------------------------------

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable solid.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	------------------------------------------------------------------------------------------------------------------------------------------

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
----------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------

6.1.2. For emergency responders


Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

	<div>Safety Data Sheet</div> <div>according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878</div>	Issue date: 11/28/2017
		Revision date: 12/19/2023 Version: 1.2
		Supersedes version of: 1/8/2020
0062	AMIRAL GLOSS	

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Keep cool. Protect from sunlight. Keep away from ignition sources. Store locked up. Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics		
EU	IOEL TWA	116 mg/m ³
EU	IOEL STEL	290 mg/m ³
Turpentine Oil (8006-64-2)		
United Kingdom	Local name	Turpentine
United Kingdom	WEL TWA (OEL TWA) [1]	566 mg/m ³
United Kingdom	WEL TWA (OEL TWA) [2]	100 ppm
United Kingdom	WEL STEL (OEL STEL)	850 mg/m ³
United Kingdom	WEL STEL (OEL STEL) [ppm]	150 ppm
United Kingdom	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses


Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.



	<h2 style="text-align: center;">Safety Data Sheet</h2> <p style="text-align: center;">according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878</p>	Issue date: 11/28/2017
		Revision date: 12/19/2023 Version: 1.2
		Supersedes version of: 1/8/2020
0062	AMIRAL GLOSS	

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Paste.
Colour	: Various colours.
Odour	: Perfume.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: 43 °C (Closed cup)
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability	: Flammable solid.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: Not applicable
Density	: 0.82 – 0.84 g/cm ³ (20 °C)
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

VOC content	: 71.1 %
-------------	----------

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable solid.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 11/28/2017

Revision date: 12/19/2023
Version: 1.2

Supersedes version of: 1/8/2020

0062

AMIRAL GLOSS

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if inhaled.

ATE CLP (dust,mist)	4.717 mg/l/4h
---------------------	---------------

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

LD50 oral rat	> 5000 mg/kg (OECD 401)
LD50 dermal rabbit	> 5000 mg/kg (OECD 402)

Turpentine Oil (8006-64-2)

LD50 oral rat	> 3700 mg/kg
LD50 oral	5760 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg
LD50 dermal	5010 mg/kg bodyweight
LC50 Inhalation - Rat	13.7 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	3425 mg/l

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

AMIRAL GLOSS

Viscosity, kinematic	Not applicable
----------------------	----------------

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

LC50 - Fish [1]	> 1000 mg/l (Oncorhynchus mykiss) (OECD 203)
EC50 - Crustacea [1]	> 1000 mg/l (Daphnia magna) (OECD 202)
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 1000 mg/l
EC50 72h - Algae [1]	> 1000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

Turpentine Oil (8006-64-2)

LC50 - Fish [1]	29 mg/l (Fish) (OECD 203)
EC50 - Crustacea [1]	8.8 mg/l (Daphnie) (OECD 202)
EC50 - Other aquatic organisms [1]	6.4 mg/l waterflea
EC50 - Other aquatic organisms [2]	17.1 mg/l
EC50 72h - Algae [1]	16.8 mg/l (Algues) (OECD 201)

12.2. Persistence and degradability

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

Biodegradation	80 % (28 days)
----------------	----------------

12.3. Bioaccumulative potential

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

Partition coefficient n-octanol/water (Log Pow)	5 - 7
-------------------------------------------------	-------



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 11/28/2017

Revision date: 12/19/2023
Version: 1.2

Supersedes version of: 1/8/2020

0062

AMIRAL GLOSS

Turpentine Oil (8006-64-2)

Partition coefficient n-octanol/water (Log Kow) 4.49 (25°C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects





SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number			
3175	3175	3175	3175
14.2. UN proper shipping name			
SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2 % aromatics ; Turpentine Oil)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	Solids containing flammable liquid, n.o.s.	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Transport document description			
UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2 % aromatics ; Turpentine Oil), 4.1, II, (E)	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II	UN 3175 Solids containing flammable liquid, n.o.s., 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II
14.3. Transport hazard class(es)			
4.1	4.1	4.1	4.1
			
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available			

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 216, 274, 601
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P002, IBC06, R001
Special packing provisions (ADR) : PP9
Mixed packing provisions (ADR) : MP11



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 11/28/2017

Revision date: 12/19/2023
Version: 1.2

Supersedes version of: 1/8/2020

0062

AMIRAL GLOSS

Portable tank and bulk container instructions (ADR) : T3, BK1, BK2

Portable tank and bulk container special provisions (ADR) : TP33

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V11

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP2

Hazard identification number (Kemler No.) : 40

Orange plates : 

Tunnel restriction code (ADR) : E

EAC code : 1Z

- Transport by sea

Special provisions (IMDG) : 216, 274

Limited quantities (IMDG) : 1 kg

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P002

Special packing provisions (IMDG) : PP9

IBC packing instructions (IMDG) : IBC06

IBC special provisions (IMDG) : B21

Tank instructions (IMDG) : T3, BK2

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-I

Stowage category (IMDG) : B

Properties and observations (IMDG) : Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and flammable liquids.

- Air transport

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y441

PCA limited quantity max net quantity (IATA) : 5kg

PCA packing instructions (IATA) : 445

PCA max net quantity (IATA) : 15kg

CAO packing instructions (IATA) : 448

CAO max net quantity (IATA) : 50kg

Special provisions (IATA) : A46

ERG code (IATA) : 3L

- Rail transport

Classification code (RID) : F1

Special provisions (RID) : 216, 274, 601

Limited quantities (RID) : 1kg

Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC06, R001

Special packing provisions (RID) : PP9

Mixed packing provisions (RID) : MP11

Portable tank and bulk container instructions (RID) : T3, BK1, BK2



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 11/28/2017

Revision date: 12/19/2023
Version: 1.2

Supersedes version of: 1/8/2020

0062

AMIRAL GLOSS

Portable tank and bulk container special provisions (RID) : TP33
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W1
Special provisions for carriage – Bulk (RID) : VC1, VC2, AP2
Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 40

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)
Contains no substance(s) listed on the REACH Candidate List
Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

VOC content : 71.1 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 11/28/2017

Revision date: 12/19/2023
Version: 1.2

Supersedes version of: 1/8/2020

0062

AMIRAL GLOSS

OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. Not classified	Carcinogenicity Not classified
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Muta. Not classified	Germ cell mutagenicity Not classified
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.